



Concern® Multi-Purpose Insect Killer

Instructions

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Kills Beetles, Caterpillars, Aphids, and Other Listed Insects on Houseplants, Vegetables, Flowers and Fruits Right up to day of harvest.

ACTIVE INGREDIENTS	By Wt.
Pyrethrins.....	0.02%
*Piperonyl Butoxide, Technical.....	0.20%
INERT INGREDIENTS	99.78%
TOTAL	100.00%

* Equivalent to min. 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

CAUTION

Keep out of reach of children. See back panel for additional precautionary statements.

Concern® Multi-Purpose Insect Killer contains pyrethrin, an extract derived from an African chrysanthemum. It works quickly to paralyze and kill insects on contact.

PRECAUTIONARY STATEMENTS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Contact 1-800-858-7378 for emergency medical treatment advice.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Cover aquaria before spraying. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a dry secure place. Avoid Freezing.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Buyer assumes all responsibility for safety and use not in accordance with label directions.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE BOTTLE WELL BEFORE USING

Spray when insects first appear. Hold container 12”-18” from plant and spray upper and lower leaf surfaces until slightly wet. Wet as many insects with spray as possible. Be sure to penetrate dense foliage. Treatment may be repeated weekly or as needed to control infestation. Avoid spraying plants in hot midday sun. When used outdoors, spray when air is still. Can be used right up to day of harvest.

For Use on Vegetables & Fruits Including: Asparagus, beans, broccoli, brussels sprouts, cabbage, carrots, cauliflower, celery, collards, corn, cranberries, cucumbers, eggplants, grapes, greens, kale, lettuce, peas, peppers, potatoes, radishes, spinach, squash, strawberries, tomatoes, turnips, etc.

For Use On Houseplants, Flowers, Trees & Shrubs Including: African Violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, dieffenbachia, dogwoods, ferns, geraniums, gladioli, hemlocks, holly, iris, ivy, jade plants, junipers, lilacs, marigolds, orchids, peperomia, petunias, philodendrons, rhododendrons, roses, rubber plants, salvia, snapdragons, spruces, tulips, wandering jews, etc

Kills: Aphids, asparagus beetles, beanleaf beetles, blister beetles, cabbage loopers, caterpillars, eastern and forest tent caterpillars, Colorado potato beetles, cross-striped cabbageworms, cucumber beetles, cutworms, diamond-backed moth larvae, fireworms, flea beetles, flies, gnats, gypsy moth caterpillars, harlequin bugs, imported cabbageworms, Japanese beetle adults, lacebugs, leafhoppers, leaf rollers, leaf tiers, loopers, mealybugs, Mexican bean beetles, mites, mosquitoes, moths, rose chafers, scales, stink bugs, stiped cucumber beetles, thrips, wasps, webworms, whitefly, etc.